

# 

(43) International Publication Date 22 January 2004 (22.01.2004)

PCT

# (10) International Publication Number WO 2004/007476 A1

- (51) International Patent Classification<sup>7</sup>: C07D 313/00, 327/02, 417/06, 497/04, 493/04, A61K 31/425, A61P 35/00
- (21) International Application Number:

PCT/EP2003/006066

- (22) International Filing Date: 10 June 2003 (10.06.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

102 32 094.2

15 July 2002 (15.07.2002) DE

- (71) Applicant (for all designated States except US): GESELLSCHAFT FUER BIOTECHNOLOGISCHE FORSCHUNG MBH (GBF) [DE/DE]; Mascheroder Weg 1, 38124 Braunschweig (DE).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): HOEFLE, Gerhard [DE/DE]; Alter Weg 12a, 38124 Braunschweig (DE).


- (74) Agents: BOETERS, Hans et al.; Boeters & Lieck, Bereiteranger 15, 81541 München (DE).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GESELLSCHAFT FÜR BIOTECHNOLOGISCHE FORSCHUNG MBH (GBF)



(57) Abstract: The invention relates to 5-thiapethilones and 15-disubstituted epothilones according to formula I (I) with the following meanings: X = >C = O or >S = O  $R^1 = C_{1-6}$  alkyl or  $C_{2-6}$  alkenyl  $R^2 = H$  or  $C_{1-6}$  alkyl  $Y - Z = >C = C < or > C - O - C < (epoxide ring) <math>R^3 = H$ ,  $C_{1-6}$  alkyl or  $C_{2-6}$  alkenyl  $R^4 =$  bicycloaryl, bicycloheteroaryl or  $-C(R^5) = CH - R^6$ , where  $R^5 = H$  or  $CH_3$  and  $R^6 =$  aryl or heteroaryl X not being >C = O if  $R^3 = H$ .

BEST AVAILABLE COPY

WO 2004/007476 PCT/EP2003/006066

#### Gesellschaft für Biotechnologische Forschung mbH (GBF)

#### 5-THIAEPOTHILONES AND 15-DISUBSTITUTED EPOTHILONES

The present invention relates to 5-thiaepothilones and 15-disubstituted epothilones which are 16-membered cytotoxic macrolides of formula I with an application potential in cancer therapy and in the treatment of other instances of cell growth impairment.

Epothilones are well known. They can be obtained by fermenting the myxobacterium Sorangium cellulosum (GBF) by semisynthesis (GBF, BMS) by genetic engineering and heterologous expression (Kosan Biosciences), by total synthesis (Danishefsky, Nicolaou, Schinzer, Novartis, Schering).

All the epothilones which have become known so far have the common characteristic of carrying a keto group (X = carbonyl) in position 5 and a hydrogen ( $R^3 = H$ ) on the C15 atom. The present invention relates to epothilones which, in contrast to the known state of the art, exhibit either

- (1) a sulphoxide group for X or
- (2) an alkyl or alkenyl group by way of  $\mathbb{R}^3$  on the C15 carbon atom or
- (3) both a sulphoxide group X and an alkyl or alkenyl group as radical  $R^3$ .

The invention also relates to epothilones of the following general formula I:

with the following meanings:

X = >C = 0 or >S = 0

 $R^1 = C_{1-6}$  alkyl or  $C_{2-6}$  alkenyl

 $R^2 = H \text{ or } C_{1-6} \text{ alkyl}$ 

Y - Z = >C=C < or >C=O-C < (epoxide ring)

 $R^3 = H$ ,  $C_{1-6}$  alkyl or  $C_{2-6}$  alkenyl

 $R^4$  = bicycloaryl, bicycloheteroaryl or  $-C(R^5)$  = CH-R<sup>6</sup>,

where

 $R^5$  = H or  $CH_3$  and  $R^6$  = aryl or heteroaryl X not being >C=O if  $R^3$  = H.

A compound of the general formula I with Z-Y = >C=C< can be produced from a compound of formula 1 by aldol reaction with a compound of formula 2. In the following reaction scheme, P represents a protective group common in epothilone chemistry, such as a silyl group. Subsequently, the compound of formula 3 thus obtained is reacted, with ring closure (formation of lactone), to a compound of formula 4.

A compound of the general formula I with Y-Z = >C-O-C< (epoxide ring) can be produced by reacting a compound of formula 5 with a compound of formula 6 in an aldol

WO 2004/007476 PCT/EP2003/006066 - 3 -

reaction. The resulting compound of formula 7 can be cyclised after liberating the aldehyde group from the acetal in an aldol reaction, whereupon the lactone thus obtained is subjected to epoxidation in position 12,13.

$$R^{2}$$
 $R^{2}$ 
 $R^{3}$ 
 $R^{4}$ 
 $R^{2}$ 
 $R^{4}$ 
 $R^{4$ 

>

$$R^{2}$$
 $CH_{2}$ 
 $CH_{3}$ 
 $CH_{3}$ 
 $CH_{3}$ 
 $CH_{3}$ 
 $CH_{4}$ 
 $CH_{5}$ 
 $CH_{5}$ 
 $CH_{6}$ 
 $CH_{7}$ 
 $CH_{1}$ 
 $CH_{1}$ 
 $CH_{2}$ 
 $CH_{3}$ 
 $CH_{4}$ 
 $CH_{5}$ 
 $CH_{6}$ 
 $CH_{7}$ 
 $CH_{1}$ 
 $CH_{1}$ 
 $CH_{2}$ 
 $CH_{3}$ 
 $CH_{4}$ 
 $CH_{5}$ 
 $CH_{6}$ 
 $CH_{7}$ 
 $CH_{1}$ 
 $CH_{1}$ 
 $CH_{1}$ 
 $CH_{2}$ 
 $CH_{3}$ 
 $CH_{4}$ 
 $CH_{5}$ 
 $CH_{6}$ 
 $CH_{7}$ 
 $CH_{1}$ 
 $CH_{1}$ 
 $CH_{1}$ 
 $CH_{2}$ 
 $CH_{3}$ 
 $CH_{4}$ 
 $CH_{5}$ 
 $CH_{7}$ 
 $CH$ 

Below, the invention is further illustrated by two synthesis examples.

Synthesis example Ia: X = SO,  $R^1$ ,  $R^2 = CH_3$ ,

$$Z - Y = C = C$$
,  $R^3 = H$ ,  $R^4 = R^5$ 

with  $R^5 = CH_3$ ,  $R^6 = 4-(2-methylthiazolyl)$ 

P = protective groups, e.g. silyl

Synthesis example Ib: X = C = O,  $R^1$ ,  $R^2 = CH_3$ ,  $Z - Y = R^3 = CO_3$ ,  $R^4 = R^3 = CO_3$ 

- 1. Cerium-ammonium
- 2.+ BnLi
- 3. Dimethyl dioxirane

= 15-Methyl epothilone B

WO 2004/007476 PCT/EP2003/006066

#### CLAIMS

1. Epothilone of the general formula (I):

with the following meanings:

X = >C = O or >S = O and/or

 $R^1 = C_{1-6}$  alkyl or  $C_{2-6}$  alkenyl and/or

 $R^2 = H \text{ or } C_{1-6} \text{ alkyl and/or}$ 

Y - Z = >C=C < or >C-O-C < (epoxide ring) and/or

 $R^3 = H$ ,  $C_{1-6}$  alkyl or  $C_{2-6}$  alkenyl and/or

 $R^4$  = bicycloaryl, bicycloheteroaryl or  $-C(R^5)$  = CH- $R^6$ ,

where

 $R^5 = H \text{ or } CH_3 \text{ and}$ 

 $R^6$  = aryl or heteroaryl,

X not being >C=0 if  $R^3 = H$ ,

and one, a plurality or all conceivable combinations of the radicals X,  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$  and Y - Z

- 2. Epothilone according to claim 1, where R<sup>4</sup> is a bicycloaryl or bicycloheteroaryl radical common in epothilone chemistry.
- 3. Epothilone according to claim 1, where R<sup>6</sup> is an aryl or heteroaryl radical common in epothilone chemistry.

WO 2004/007476 PCT/EP2003/006066

4. Epothilone according to claim 3, where the heteroaryl radical is a monocyclic 5 or 6-membered heteroaromatic which may exhibit one or a plurality of O and/or N and/or S atoms in the ring.

- 5. Epothilone according to claim 3, where the aryl radical may be a heteroaromatic with one or a plurality of and in particular 1, 2, 3 or 4 heteroatoms.
- 6. Agent for cancer therapy and/or treating other instances of cell growth impairment, consisting of or containing one or a plurality of epothilones according to any one of the preceding claims, apart from the usual auxiliary agents.

## INTERNATIONAL SEARCH REPORT

Intermental Application No
PCT/EP 03/06066

A. CLASSI IPC 7	FICATION OF SUBJECT MATTER C07D313/00 C07D327/02 C07D417/ A61K31/425 A61P35/00	/06 CO7D497/04 C	CO7D493/04						
According to	o International Patent Classification (IPC) or to both national classific	ation and IPC							
	SEARCHED								
Minimum do IPC 7	cumentation searched (classification system followed by classification CO7D A61K A61P	on symbols)							
Documentat	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched								
Electronic d	ata base consulted during the International search (name of data base	se and, where practical, search term	ns used)						
CHEM A	BS Data								
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT								
Category °	Citation of document, with indication, where appropriate, of the rel	evant passages	Relevant to daim No.						
X	WO 99 02514 A (BRISTOL-MYERS) 21 January 1999 (1999-01-21) page 64; claims 1,3-5		1,3,6						
Furt	her documents are listed in the continuation of box C.	X Patent familiy members are	s listed in annex.						
*Special categories of cited documents:  'A' document defining the general state of the art which is not considered to be of particular relevance  'E' earlier document but published on or after the international filing date  'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  'O' document referring to an oral disclosure, use, exhibition or other means  'P' document published prior to the international filing date but later than the priority date claimed  'Date of the actual completion of the international search  'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the townton cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents. Such combination being obvious to a person skilled in the art.  'A' document member of the same patent family  Date of mailing of the international search report			ich with the application but le or theory underlying the e; the claimed invention cannot be considered to the document is taken alone e; the claimed invention e an inventive step when the e or more other such docugo bovious to a person skilled patent family						
	October 2003	14/10/2003							
Name and (	mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2290 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax (+31-70) 340-2048	Authorized officer Francois, J	•						

### INTERNATIONAL SEARCH REPORT

Interior and Application No						
PCT/EP	03/06066					

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9902514	A	21-01-1999	AU	731497 B2	29-03-2001
	• •		AU	7972098 A	08-02-1999
			BG	104068 A	29-09-2000
			BR	9810555 A	15-08-2000
			CN	1270589 T	18-10-2000
			EE	200000013 A	15-08-2000
			EΡ	1019389 A2	19-07-2000
			HU	0103111 A2	29-04-2002
		•	JP	2002512634 T	23-04-2002
			LT	99153 A ,B	25-08-2000
			LV	12569 A	20-11-2000
			LV	12569 B	20-04-2001
			NO	20000076 A	07-01-2000
			NZ	501198 A	28-09-2001
			PL	338003 A1	25-09-2000
			SK	181799 A3	06-08-2001
			TR	200000065 T2	21-11-2000
			ÜS	6605599 B1	12-08-2003
			WO	9902514 A2	21-01-1999
			ZA	9805938 A	10-01-2000

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ other.

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.